Rev 9/98	

Bridge No.	
Job No	

## Missouri Department of Transportation Culvert Hydraulics Report

Designer Date					
Route County	Stream				
	Purpose of Hydraulic Study				
(write a bri	(write a brief statement describing project and purpose of hydraulic study)				
Natio	nal Flood Insurance Program Info	ormation			
Has a flood insurance study been perform					
Is the culvert in a special flood hazard are	• •	,			
Is the culvert in a designated floodway? (		, ,			
Has a Flood Insurance Rate Map (FIRM)	been published for the area?				
What is the insurance rating for the site (	A1, B, C, etc.)?				
Base (100-yr) Flood		Floodway width			
Elevation					
Map panel number	Map panel number Map date				
Additional comments on Flood Insural	nce Study:				
	•				
	Design Flow				
Design Frequency (years) Drainage Area			(km²)		
Avg. slope between points 10% and 85%	of valley length unstream		(m/km)		
Avg. slope between points 10 % and 00 %	or valley length upstream		(III/KIII)		
Method of Analysis (choose one or mo	ore)	C	Q <sub>des</sub> Q <sub>500</sub>		
Missouri Rural USGS regression equation	ns Region =				
Missouri Urban (BDF) regression equatio	ns BDF =				
Missouri Urban (%I) regression equations	% Impervious Area =				
Stream Gage	USGS Station Number =				
FEMA Flood Insurance Study	Community Name =	·			
Other (Describe method)					
	2				
Design Flow	(m³/s) 500-year flow		(m <sup>3</sup> /s)		

Additional comments on design flow calculations: (method chosen and why, expected level of upstream development,

etc. Note: Include 100-year discharge if Design Frequency is not 100-year)

Observed Extreme High Water				
Elevation	(m) Location		Date	
Comments on Observed Extreme High Water: (discharge, if known, etc.)  Discuss flow conditions in reach and describe any existing conditions that may influence hydraulic behavior in				
reach:				
		Model used:		
☐ HY-8 ☐	Other (describe)			
	_			
		Model data:		
Streambed Slope =		(m/m)		
How was streambed	slope determined?			
Which cross section	was used to determine	high water surface ele	vations and why?	
Which cross section	was used to determine	tailwater elevations a	nd why?	
Describe the channel	overbank conditions a	nd the roughness coe	ficients chosen:	
		Culvert Geometr	у	
Inlet Flowline Elevation	ı	Outlet F Elevatio		
Span (m)	Rise (m) Nu	umber of Barrels	Length (headwall to headwall)	(m)
Additional comments on Culvert Geometry:				
Inlet configuration				
 ☐ Straight Wings	☐ Flared Wings	☐ Improved Inlet (d		
_ Graight Wings	_ raica wings	_ mproved met (d		
Additional Comments on Inlet Configuration:				
		Filenames		

Describe files used in culvert calculations: (Hy-8 filenames and descriptions, etc.)

Culvert Calculation Results					
	Existing Conditions		Proposed Conditions		
	Design Flow	Q <sub>500</sub>	Design Flow	Q <sub>500</sub>	
High Water Surface Elevation at Culvert (m)	N/A	N/A			
Allowable Headwater Elevation (m)	N/A	N/A		N/A	
Culvert Operating Elevation					
Backwater (m)					
Inlet or Outlet Control					
Culvert Outlet Velocity (m/s)					
Tailwater Depth (m)					
Tailwater Velocity (m/s)					
% of flow overtopping road					
Additional comments on culvert calculations: (backwater, velocities, unusual conditions, comparison to observed high water data, etc. Note: Provide high water surface elevation and maximum backwater for the 100-year discharge if Design Frequency is not 100-year.)					
Sc	our Protection Me	asures			
General Scour Information: (Describe soil conditions in streambed and overbanks:)					
What measures are required to protect against scour?					
Additional comments on scour protection:					
General Information					

Are there any improvements/buildings/crops/livestock that might be affected by alterations to the floodplain? (include description and estimated value)

**Special Considerations:** (Describe any other special conditions or considerations which affect this project)

Culvert Layout Summary				
Culvert Layout				
Loading	Roadway Width	Skew	Alignment	
Fill exception: Sta.		To Sta		
Design Variances: (Prov	ride an explanation of any design varian	nces requested and approved fo	or this project)	
			, , ,	
	Hydraulic	Analysis Summary		
Design Flood Data:				3
Design Frequency	De	esign Discharge		(m <sup>3</sup> /s)
Design High Water Surface	ce Elevation	(m) Ba	ckwater	(m)
Waterway Area below D.	H.W.	(m²) Average Velocit	y thru Opening	(m/s)
` ,	ata (if design flood other than 100 ye	,		
Discharge	(m <sup>3</sup> /s)	Water Surface Elevati	on	(m)
Backwater	(m)			
Overtopping Discharge	Data			
Overtopping Discharge		m <sup>3</sup> /s) Overtopping Freq	uonev	(year)
Overtopping Discharge	(I	ii /s) Overtopping Freq	u <del>c</del> ncy	(year)